

Paperfox H-500A rotary die cutting machine


The **Paperfox H-500A rotary die cutting machine** is a tabletop device

Ideal for:

Cutting paper, foil, plastic, leather and other sheet materials in short runs
Making samples or test series cutting such a materials which the automated machines can't


Features:

Heavy duty metal construction
Simple usage, manual operation
400 mm working width
Low price



Specifications

Dimensions: (L x W x H):	70 x 70 x 28 cm
Nett Weight:	39,5 kg
Parcel dimensions (L x W x H):	78 x 51 x 37 cm
Gross weight:	47 kg
Max. working width:	40 cm
Table size:	45 x 70 cm
Max. die cutting tool:	350 x 400 mm
Standard cutting plates are incl. accessories:	2 pieces 250 x 350 x 3 mm POM
Distance between cylinders:	40..90 mm (Adjustable)
Distance between table and top cylinder:	20..70 mm (Adjustable)



Position

- 1 - The table size: 70 x 45 cm
- 2 - Max. working place: 40 x 38 cm
- 3 - Die cutting tool
- 4 - The cylinder end position



Extra parts (Different cutting plates, standard and custom tailored die cutting tools.)



Paperfox H-1 rotary die cutting machine

The **Paperfox H-1 rotary die cutting machine** is a simple but very useful device. The **Paperfox H-1 rotary die cutting machine** is just what you need to create really creative printed materials without having to buy a very heavy and very expensive machine.

Ideal for:

Cutting paper, foil, plastic, leather and other sheet materials in short runs

Making samples or test series Cutting such a materials which the automated machines can't

Features:

Heavy duty metal construction


Simple usage

Low price



Specifications

Dimensions: (L x W x H):	88 x 100 x 120 cm
Nett Weight:	66 kg
Parcel dimensions (L x W x H):	100 x 120 x 35 cm
Gross weight:	95 kg
Max. working width:	70 cm
Table size:	74 x 70 cm
Max. die cutting tool:	370 x 630 mm
Standard cutting plates are incl. accessories:	2 pieces 500 x 350 x 3 mm POM
Distance between cylinders:	40..90 mm (Adjustable)
Distance between table and top cylinder:	20..70 mm (Adjustable)



Position

- 1 - The table size: 70 x 70 cm
- 2 - Max. working place: 70 x 38 cm
- 3 - Die cutting tool
- 4 - The cylinder end position



Extra parts (Different cutting plates, standard and custom tailored die cutting tools.)



Paperfox HA-2 table with support frame for Paperfox H-1 die cutting machine

You can install longer table on **your Paperfox H-1 rotary die cutting machine**. Your existing machine can be fitted easily by this supporting accessory and you can use it for die cut longer parts.

Ideal for:

Cutting paper, foil, plastic, leather and other sheet materials in short runs
For bigger boxes and other simple shapes


Features:

Heavy duty metal construction
Simple usage



Specifications

Dimensions: (L x W x H):	150 x 100 x 120 cm
Nett Weight:	85 kg
Parcel dimensions (L x W x H):	133 x 107 x 45 cm
Gross weight:	110 kg
Max. working width:	70 cm
Table size:	74 x 70 cm
Max. die cutting tool:	500 x 700 mm
Standard cutting plates are incl. accessories:	2 pieces 500 x 700 x 3 mm POM
Distance between cylinders:	40..90 mm (Adjustable)
Distance between table and top cylinder:	20..70 mm (Adjustable)



Position

- 1 - The table size: 74 x 130 cm
- 2 - Max. working place: 70 x 98 cm
- 3 - Die cutting tool
- 4 - The cylinder end position



Extra parts (Different cutting plates, standard and custom tailored die cutting tools.)



Paperfox S-3 corner rounder

The **Paperfox S-3 Corner rounder** is a really robust device. You can cut about 50 cardboard cards with a single movement.

The long life knives are made from hardened and grinded steel, with 4mm and 8mm radius.

Ideal for:

You can use with paper, foil, plastic, leather etc.
The long life knives are made from hardened and grinded steel.

Features:

Heavy duty metal construction
Simple usage
You can cut up to 2 cm thick pile of material



Specifications


Dimensions: (L x W x H):	25 x 15 x 48 cm
Nett Weight:	3,9 kg
Parcel dimensions (L x W x H):	25 x 16 x 50 cm
Gross weight:	4,2 kg
Maximum cutting depth	2 cm

Included accessories for S-3 Corner rounder:

- 1 pc LK-8 cornerrounding knife (mounted in the S-3)
- 1 pc LK-4 cornerrounding knife
- 10 pc VLS-3 cutting plate
- 1 pc Hexagon tool for setting the machine and changing the knife



Extra parts (VLS-3 cutting plate, LK-4 & LK-8 cornerrounding knives.)



Paperfox MP-1 Paper punch with euro slot tool

The **Paperfox MP-1 paper punch** is a simple but really universal deice with a lot of useful features. You can punch plastic, paper or wall calendar....

Ideal for:

Cutting paper, foil, plastic, leather and other sheet materials in short runs
Punching individual holes with custom tailored tools

Features:

Heavy duty metal construction
Simple usage
Interchangeable knives,
Custom made knives are available



Specifications

Dimensions: (L x W x H):	35 x 6 x 25 cm
Nett Weight:	6,6 kg
Parcel dimensions (L x W x H):	24 x 39 x 8 cm
Gross weight:	7 kg
Maximum paper weight:	800 g/m ²
Tool size:	3 x 6 cm

Included accessories for MP-1 Paper punch:

- 1 pc EP-1 Euro slot tool (in the machine)
- 2 pcs VMP-1 cutting plate (1 pc in the machine)
- 2 pcs back paper stop
- 1 pc side paper stop

Extra parts (MPA-1 table, RP-1 corner guide, calendar punch, slotting, punching and cutting tools.)



Paperfox MP-2 Paper punch with euro slot tool


Save your hands with the **Paperfox MP-2 paper punch**. It is much easier to use your foot for punching paper or other material. You can punch plastic, textil, paper or wall calendar....

Ideal for:

Cutting paper, foil, plastic, leather and other sheet materials in short runs
 Punching individual holes with custom tailored tools

Features:

Your hands are free during work
 Simple usage
 Interchangeable knives,
 Custom made knives are available


Specifications

Dimensions (MP-2): (L x W x H):	35 x 6 x 25 cm
Nett Weight:	6,6 kg
Parcel dimensions (MP-2)(L x W x H):	24 x 39 x 8 cm
Gross weight:	7 kg
Parcel dimensions (the table)(L x W x H) / weight:	73 x 48 x 8 cm / 5 kg
Maximum paper weight:	800 g/m ²
Tool size:	3 x 6 cm (to 6 x 6 cm)

Included accessories for MP-2 Paper punch:

- 1 pc EP-1 Euro slot tool (in the machine)
- 2 pcs VMP-1 cutting plate (1 pc in the machine)
- 2 pcs back paper stop
- 1 pc side paper stop

Extra parts (MPA-2 table, RP-1 corner guide, calendar punch, slotting, punching and cutting tools.)



Paperfox MPE-2 Electric paper punch with euro slot tool

Just insert the paper or card into **the Paperfox MPE-2 electric paper punch** and it punches automatically
You can punch plastic, textil, paper or wall calendar....

Ideal for:

Cutting paper, foil, plastic, leather and other materials
For punching in middle or longer series
Punching individual holes with custom tailored tools

Features:

Your handle are free free during work
Simple usage
Interchangeable knives, custom made knives are available
Robust metal industrial motor



Specifications

Dimensions (MPE-2): (L x W x H):	40 x 26 x 110 cm
Nett Weight:	31 kg
Parcel dimensions (MPE-2)(L x W x H):	42 x 52 x 120 cm
Gross weight:	34 kg
Parcel dimensions (the table)(L x W x H) / weight:	73 x 48 x 8 cm / 5 kg
Maximum paper weight:	800 g/m ²
Tool size:	3 x 6 cm (to 6 x 6 cm)

Included accessories for MP-2 Paper punch:

- 1 pc EP-1 Euro slot tool (in the machine)
- 2 pcs VMP-1 cutting plate (1 pc in the machine)
- 2 pcs back paper stop
- 1 pc side paper stop

Extra parts (MPEA-2 table, RP-1 corner guide, calendar punch, slotting, punching and cutting tools.)



Paperfox KB-32 Paper punch and creasing machine

The **Paperfox KB-32 combined paper punch and creasing machine** is a multifunctional machine. You can crease even sensitive digital prints without cracking the fiber of the cardboard. With special tools you can also perforate.

Ideal for:

Cutting paper, foil, plastic, leather and other materials
Punching individual holes with custom tailored tools

Features:

Simple usage
Interchangeable knives, custom made knives are available



Specifications

Dimensions (MP-2): (L x W x H):	50 x 6 x 25 cm
Nett Weight:	12,5 kg
Parcel dimensions (MP-2)(L x W x H):	52 x 26 x 8 cm
Gross weight:	13 kg
Parcel dimensions with the table(L x W x H) / weight:	53 x 43 x 9 cm / 15,2 kg
Maximum paper weight:	800 g/m ²
Tool size:	3 x 6 cm (to 6 x 6 cm)

Included accessories for MP-2 Paper punch and creasing machine:

- 1 pc EP-1 Euro slot tool (in the machine)
- 2 pcs VMP-1 cutting plate (1 pc in the machine)
- 2 pcs back paper stop
- 1 pc side paper stop
- 1 pc BKB-32 creasing tool (in the machine)
- 1 pc BL-32 Creasing plate (in the machine)

Extra parts (MA-500 table, RP-1 corner guide, calendar punch, slotting, punching and cutting tools.)



Paperfox R-761 Kisscutting (half-cutting), creasing, perforating machine

The **R-761 Kisscutting (half-cutting), creasing, perforating machine** with manual feed. You can easily set the proper cutting position of the knives with the help of the electric sensor.

Ideal for:

Slitting self adhesive paper or foil without cutting the backing material
 Slitting the back of the adhesive labels

Features:

Robust metal construction
 The delivery tray can be set to angled position with a mechanism
 The belt pulley entirely closed


Specifications

Dimensions / Parcel dimensions: (L x W x H):	85 x 88 x 122 cm / 133 x 107 x 100 cm
Nett Weight / Gross weight:	85 kg / 110 kg
Max. sheet size without guides:	76 cm
- with one guide / with two guides	72 cm / 68 cm
Roller speed (3 gear):	100 / 150 / 200 rev/min
Operation speed:	~2000 (1000..5000) sheet/hour
Voltage / Current	230 V~/0,6 A

Included accessories for R-761 Kisscutting (half-cutting), creasing, perforating machine:

- 6 pcs kiss cutting knives with 6 pcs KT-1 Knife holders
- 1 pc creasing rollers
- 1 pc PK-24-5 perforating knife
- 2 pcs Feeding roll
- 1 pc TL-1 paper guide
- 1 pc hexagonal key

Extra parts (Knife holders, round knives, transmission belt, spare cylinder)


Paperfox R-760 Kisscutting (half-cutting), creasing, perforating machine


The **R-760 Kisscutting (half-cutting), creasing, perforating machine** is a cheaper version of the R-761. Major differences: the delivery tray can't be set so accurately and the belt pulley is not entirely closed

Ideal for:

Slitting self adhesive paper or foil without cutting the backing material
 Slitting the back of the adhesive labels

Features:

Robust metal construction
 The delivery tray can be set to proper position with a mechanism


Specifications

Dimensions / Parcel dimensions: (L x W x H):	85 x 88 x 122 cm / 133 x 107 x 100 cm
Nett Weight / Gross weight:	80 kg / 105 kg
Max. sheet size without guides:	76 cm
- with one guide / with two guides	72 cm / 68 cm
Roller speed (3 gear):	100 / 150 / 200 rev/min
Operation speed:	~2000 (1000..5000) sheet/hour
Voltage / Current	230 V~/0,6 A

Included accessories for R-761 Kisscutting (half-cutting), creasing, perforating machine:

- 6 pcs kiss cutting knives with 6 pcs KT-1 Knife holders
- 1 pc creasing rollers
- 1 pc PK-24-5 perforating knife
- 1 pc hexagonal key

Extra parts (Knife holders, round knives, TL-1 paper guide, transmission belt, spare cylinder)


Paperfox R-760A Kisscutting (half-cutting), creasing, perforating machine

The **R-760A Kisscutting (half-cutting), creasing, perforating machine** is a tabletop version of the Paperfox R-760 machine. You can reduce the delivery costs if you buy this machine.

Ideal for:

Slitting self adhesive paper or foil without cutting the backing material
 Slitting the back of the adhesive labels

Features:

Robust metal construction
 The delivery tray can be set to proper position with a mechanism


Specifications

Dimensions / Parcel dimensions: (L x W x H):	85 x 88 x 35 cm / 80 x 120 x 55 cm
Nett Weight / Gross weight:	75 kg / 90 kg
Max. sheet size without guides:	76 cm
- with one guide / with two guides	72 cm / 68 cm
Roller speed (3 gear):	100 / 150 / 200 rev/min
Operation speed:	~2000 (1000..5000) sheet/hour
Voltage / Current	230 V~/0,6 A

Included accessories for R-761 Kisscutting (half-cutting), creasing, perforating machine:

- 6 pcs kiss cutting knives with 6 pcs KT-1 Knife holders
- 1 pc creasing rollers
- 1 pc PK-24-5 perforating knife
- 1 pc hexagonal key

Extra parts (Knife holders, round knives, TL-1 paper guide, transmission belt, spare cylinder)


Paperfox R-760AV Kisscutting (half-cutting), creasing, perforating machine


The **R-760AV Kisscutting (half-cutting), creasing, perforating machine** is the cheapest version by Paperfox. There is no electric sensor to set the position of the knives and the machine is driven by a simple sewing machine motor with poor reliability.

Ideal for:

Slitting self adhesive paper or foil without cutting the backing material
 Slitting the back of the adhesive labels

Features:

Robust metal construction


Specifications

Dimensions / Parcel dimensions: (L x W x H):	85 x 88 x 35 cm / 80 x 120 x 55 cm
Nett Weight / Gross weight:	68 kg / 83 kg
Max. sheet size without guides:	76 cm
- with one guide / with two guides	72 cm / 68 cm
Roller speed (3 gear):	100 / 150 / 200 rev/min
Operation speed:	~2000 (1000..5000) sheet/hour
Voltage / Current	230 V~/0,6 A

Included accessories for R-761 Kisscutting (half-cutting), creasing, perforating machine:

- 6 pcs kiss cutting knives with 6 pcs KT-1 Knife holders
- 1 pc creasing rollers
- 1 pc PK-24-5 perforating knife
- 1 pc hexagonal key

Extra parts (Knife holders, round knives, TL-1 paper guide, transmission belt, spare cylinder)


Paperfox A-1000, A-1250 rewinders

The **Paperfox A-1000 and A-1250 rewinders** are designed to rewind washing paper for offset presses with automatic washing device but it can be used to rewind other roll materials too. The speed of the axle can be regulated with a foot pedal.

Ideal for:

Rewinding washing paper for offset presses with automatic washing device
 Rewinding other roll materials

Features:

The winding shafts can be changed easily
 Custom tailored shafts are also available


Specifications
A-1000 Rewinder / A-1250 Rewinder

Specifications	A-1000 Rewinder	A-1250 Rewinder
Dimensions	110 x 160 x 130 cm	110 x 160 x 155 cm
Parcel dimensions: (L x W x H):	18 x 43 x 126 cm	18 x 43 x 142 cm
Nett Weight / Gross weight:	29 kg / 31 kg	31 kg / 34 kg
Max. roll width:	800 mm	1050 mm
Core diameter of the lower (big) roll:	75 mm	75 mm
Max. upper (small) roll diameter	80 mm	80 mm
Core diameter of the upper (small) roll:	18 mm	18 mm
Noise output less than	70 dB(A)	70 dB(A)
Roller speed:	0-330 rev./min.	0-330 rev./min.
Voltage / Current	230 V~/0,5 A	230 V~/0,5 A

Included accessories for Paperfox A-1000 and A-1250 rewinders

- 1 pc spare transmission belt
- 1 pc foot switch with power cable

Extra parts (Transmission belt, length measuring device, custom tailored shafts)

